

Security Alarm & Control PRODUCT CATALOG



ALWAYS INNOVATING



800-229-6693

Sales@HPIsecurity.com
www.HPIsecurity.com





Good...
Better...
Best!

HPI
Starter
Packages:

2GIG RELY SECURITY PANEL

HPI Security Econo System Starter Package
(Rely 3-1-1 with Mobile App)

SPECIFICATIONS

- Inexpensive and simple to use security system
- 16 Wireless zones
- 8 User codes
- 8 Keychain remotes (which don't reduce the zone count)
- Fully self contained
- Built-in cellular module for secure communication
- Integrated 345 MHz wireless transceiver works with many existing 2GIG sensors
- Includes speaker / siren for:
 - Alarm Events
 - Voice annunciation and/or tone chimes
 - System status notifications
 - Keypad presses
- LCD screen and backlit buttons offer adjustable brightness
- One touch 'Arm Stay' and 'Arm Away' buttons
- Monitored 2GIG® Rely™ systems include the SecureNet Smartlink + Mobile App for complete control of the system

2GIG-RELY-KIT2

To Cancel a False Alarm call:
1-866-726-2742
 For Service & Sales call:
800-229-6693
www.HPIsecurity.com

INCLUDES:

- (1) 2GIG RELY PANEL with AT&T Cell Communicator and Smartlink+ (by SecureNet) Mobile App
- (3) 2GIG-DW10-345 2GIG Standard Wireless Door/Window Sensors
- (1) 2GIG-PIR1-345 2GIG Wireless PIR Motion Detector
- (1) 2GIG-KEY2-345 2GIG Wireless Keychain Remote

2GIG GC2 SECURITY + Home Control PANEL

HPI Security Standard System Starter Package
(GC2 3-1-1 with Alarm.com Mobile App)

SPECIFICATIONS

- Intuitive Color touchscreen display
- 60 Wireless zones
- Chime and/or Voice announcements
- 2 Hardwire zones
- 64 User codes
- Fully self contained Keypad, Siren/Speaker/Cell/Battery
- Remotely control panel settings over cellular
- Two-way voice over cellular option
- Easily updateable for new features
- Built-in Z-Wave home control
- Weather information display
- DC power receptacle
- Quick arm/exit
- ETL listed to UL 1023, UL 1635, UL 1610, ULC-S545-02, and ULS subject C1023
- ANSI/SIA CP-01-2010 and CSFM listed
- Rapid Response Monitored 2GIG® GC2™ systems include the Alarm.com Mobile App for complete control of the system

2GIG-GCKIT311

To Cancel a False Alarm call:
1-866-726-2742
 For Service & Sales call:
800-229-6693
www.HPIsecurity.com

INCLUDES:

- (1) 2GIG-CP21-345E English GC2 Panel with Verizon LTE 4G Cell Communicator and Alarm.com Mobile App
- (3) 2GIG-DW10-345 Door/Window Contacts
- (1) 2GIG-PIR1-345 Passive Infrared Motion Detector
- (1) 2GIG-KEY2-345 Key Ring Remote

2GIG GC3 SECURITY + Home Control PANEL

HPI Security Exceptional System Starter Package
(GC3 3-1-1 with Alarm.com Mobile App)

SPECIFICATIONS

- Intuitive 7" Capacitive color touchscreen display
- Chime and/or Voice announcements
- Fully self contained Keypad, Siren/Speaker/Cell/Battery
- 100 Wireless zones + 2 Hardwired zones
- 100 User codes
- Optional easy install CellSled™ radio module
- Remotely control panel settings over cellular
- Easily updateable on USB port on top for new features
- User 'bookmarks' and Rooms' feature
- Add up to four auxiliary keypads via GC3 Access Point
- One-touch arming
- Built-in Z-Wave home control
- Weather information display
- ETL listed to UL 1023, UL 1635, ULC-S545-02, and ulc subject C1023
- ANSI/SIA CP-01-2010 and CSFM listed
- Rapid Response Monitored 2GIG® GC2™ systems include the Alarm.com Mobile App for complete control of the system

2GIG-GC3-KIT2

To Cancel a False Alarm call:
1-866-726-2742
 For Service & Sales call:
800-229-6693
www.HPIsecurity.com

INCLUDES:

- (1) 2GIG-GC3-345 English GC3 Panel with Verizon LTE 4G Cell Communicator and Alarm.com Mobile App
- (3) 2GIG-DW10-345 Door/Window Contacts
- (1) 2GIG-PIR1-345 Passive Infrared Motion Detector
- (1) 2GIG-KEY2-345 Key Ring Remote



ALWAYS INNOVATING.

Full Voice Response

The panel gives clear notifications that indicate system status, zone descriptions, alarms, and emergencies.

Date, Time & Weather Display*

The panel scrolls through date, time, and real-time weather forecasts. Provides severe weather alerts in the event of a tornado, tsunami, or wildfire.

Quick Access

One touch access allows the quickest help possible in an emergency. The panel's LED buttons indicate the system's status.

Two-Way Response over Cellular or POTS

Two-way voice lets central station operators listen in and talk to you when a signal is received, ensuring that the proper emergency response personnel will be dispatched if necessary.



Intuitive LCD Touch Screen

The easy-to-use color touch screen puts a wide range of security and home automation controls at your fingertips.

Built-in Automation

The panel's built-in Z-Wave radio enables various home automation functions including HVAC, locks, water flow, appliances, garage door, plus lighting control.

Convenience

The fully self contained panel contains an optional snap-in cell Radio, a 24-hr. backup battery, and allows 32 user codes to monitor up to 48 wireless zones and 2 hardware zones. Add up to 4 additional keypads and 8 key fobs without taking up a zone.

Takeovers

Running into pre-existing systems? Our optional snap-in dual receiver allows you to take over most existing 319 MHz devices. Hardware takeovers are just as easy using our Takover Module.

- CSFM Listed
- ETL Listed to UL 985, UL 1023, UL 1635, ULC-S545-02, ULC-Subject C1023 and ANSI/SIA CP-01-2012 (with Cellular Radio)

Future-Proof

There's no need to worry about your panel's software getting outdated. With our Over-the-Air function, your panel can be updated with the latest software via cellular radio or update cable.

Remote Control Options*

Always be in control remotely, managing your system from a computer or any iOS, Android, Windows, Blackberry smartphone or tablet.



800-229-6693

Sales@HPIsecurity.com
www.HPIsecurity.com


An authorized dealer

*Remote features available with activated cell radio module/approved interactive service provider.

WHAT HOME SECURITY SHOULD BE.

PROTECTION

Every peripheral product that 2GIG manufactures communicates seamlessly with the 2GIG Control Panel. All of the peripheral sensors sold by 2GIG know what type of sensor they are, making installation faster than ever. Communication is instantaneous when programming in peripheral sensors to the 2GIG Control Panel, so you don't waste your time. 2GIG peripherals are 2GIG innovation.



WIRELESS SECONDARY TOUCH SCREEN KEYPAD



BROADBAND COMMUNICATOR



4-BUTTON KEYFOB



PANIC PENDANT



WIRELESS DOORBELL



DOOR/WINDOW SENSORS



GLASS BREAK SENSOR



SMOKE, HEAT & FREEZE SENSOR



CARBON MONOXIDE DETECTOR



MOTION DETECTOR



TAKEOVER MODULE



HD CAMERA

MANAGEMENT

No longer is home automation only available to the elite. The 2GIG system makes it easy to control hundreds of different Z-Wave devices around the home via the control panel or remotely through your interactive service provider.



LOCK



THERMOSTAT



APPLIANCE/LAMP MODULE



LIGHTING





















DIMMABLE LED LIGHT BULB





















IMAGE SENSOR

Panel Compatibility Chart: Security Sensors

2GIG-CO3-345		CO Detector	✓	✓	✓
2GIG-DBELL1-345		Doorbell	✓	✓	N/A
2GIG-DW10-345		Thin D/W Sensor	✓	✓	✓
2GIG-DW20-345		Recessed D/W Sensor	✓	✓	✓
2GIG-DW40-345		Bypass D/W Sensor	✓	✓	✓*
2GIG-FT1-345		Flood/Temp Sensor	✓	✓	N/A
2GIG-GB1-345		Glass Break Detector	✓	✓	✓
2GIG-IMAGE1		Image Sensor GC2	✓	N/A	N/A
2GIG-IMAGE2-GC3		Image Sensor GC3	N/A	✓	N/A
2GIG-KEY2-345		4 Button Keyfob Remote	✓	✓	✓
2GIG-PAD1-345		Wireless Keypad	✓	✓	N/A
2GIG-PANIC1-345		Panic Button	✓	✓	N/A
2GIG-PIR1-345		Motion Detector	✓	✓	✓
2GIG-SMKT3-345		Smoke/Heat/Freeze Sensor	✓	✓	✓
2GIG-SDS1-345		Smoke Detector Sensor	✓	✓	N/A
2GIG-SP1-GC3		GC3 Wireless Security & Automation Touch Screen	N/A	✓	N/A
2GIG-SP2-GC3		GC3 Wireless Security Touch Screen	N/A	✓	N/A
2GIG-TAKE-345		Takeover Module	✓	✓	N/A
2GIG-TILT1-345		Tilt Sensor	✓	✓	N/A
2GIG-TS1		Touchscreen Keypad	✓	N/A	N/A

✓ - Tested and Capable N/A - Not applicable for this panel - *Works as sensor, bypass feature to be added later

Panel Compatibility Chart: Lighting

GoControl®	Dimmer Lamp Module		PD300EMZ-1		PD300Z-2	✓	✓	N/A			
GoControl®	Wall Dimmer		WD500Z5-1		WD500Z-1		1000Z-1	✓	✓	N/A	
GoControl®	Wall Switch		WS15Z-1		WS15Z-1			✓	✓	N/A	
GoControl®	3 Way Wall Switch		WT00Z5-1		WT00Z-1			✓	✓	N/A	
GoControl®	Light Bulbs		LB60Z-1		LB65R6Z-1		LBR30Z-1		✓	✓	N/A
GoControl®	Wireless Scene Controller		WA00Z-1					✓	✓	N/A	
A AEOTEC <small>BY AEON LABS</small>	Switch / Dimmer		DSC24		DSC25			✓	✓	N/A	
A AEOTEC <small>BY AEON LABS</small>	Switch		DSCO6100ZWUS					✓	✓	N/A	
	Switch		ZW3101		ZW4101			✓	✓	N/A	
VISION®	Dimmer / Switch		ZL7101		ZL7201			✓	✓	N/A	



Power Fixtures

GoControl®	Appliance Module		PS15EMZ-1		PS15Z-2			✓	✓	N/A
GoControl®	Wall Outlet		WO15EMZ-1		WO15Z-1			✓	✓	N/A
GoControl®	Isolated Contact Module		FS20Z-1					✓	✓	N/A









✓ - Tested and Capable - N/A - Not applicable for this panel



Garage Door Control / Door Locks

	Garage Door Control	GD00Z-4				✓	✓	N/A	
	<hr/>								
	Door Locks	910	912			✓	✓	N/A	
	<hr/>								
	Door Locks	914	916			✓	✓	N/A	
	<hr/>								
	Door Locks	BE369	BE468	BE469	FE599	✓		BE468, BE469	
									
<hr/>									
	Door Locks	YRD210	YRD220	YRL220	YRD110	YRD120	✓	✓	N/A
	<hr/>								

Thermostats

	Thermostat	GC-TBZ48				✓	✓	N/A
	<hr/>							
	Thermostat	CT100				✓	✓	N/A
	<hr/>							
	Thermostat	TH8320				✓		not supported
	<hr/>							
	Thermostat	T2000				✓	✓	N/A
	<hr/>							

✓-Tested and Capable - N/A - Not applicable for this panel



Compatible



800-229-6693

Sales@HPIsecurity.com
www.HPIsecurity.com



GC2
1.17.04



GC3
3.1



2GIG RELY

Security

	Siren	WA105DB			✓	✓	N/A	
	Siren	SE812-2			✓	not supported	N/A	
	Siren	SSA1		SSA2		✓	not supported	N/A

✓-Tested and Capable - N/A - Not applicable for this panel



800-229-6693

Sales@HPIsecurity.com

www.HPIsecurity.com

An authorized dealer



5919 SEA OTTER PLACE, SUITE 100 | CARLSBAD, CA 92010 | TEL 800.421.1587 | EMAIL: 2GIG.INFO@NORTEK.COM