

 Since 1979

 www.HPIsecurity.com
 RESIDENTIAL
 COMMERCIAL
 SERVICES
 SUPPORT
 MONITORING

 INTRUSION SYSTEMS
 VIDEO SECURITY
 ACCESS CONTROL
 FIRE ALARM



### Kwikset 99100-078 | SmartCode Z-Wave Deadbolt, Satin Nickel

800-229-6693

License# EF0000020

Manufacturer's PN: 99100-078



Shipping Weight: 4Lbs. Dimensions: **Not Available** 

### • Kwikset 99100-078 | SmartCode Z-Wave Deadbolt, Satin Nickel

- Door Prep: 2 1/8" diameter face hole & 1" diameter latch hole
- Backset: Adjustable to 2 3/8" or 2 3/4"
- Door Thickness: 1 3/8" to 1 3/4" automatic adjustment
- Cylinder: SmartKey Re-Key Technology
- Faceplate: 1" x 2 1/4" Round corner standard
- Strikes: Round corner strike 2 3/4" x 1 1/8"
- Bolt: 1" throw
- Door Handing: Reversible
- Batteries: 4 AA
- Inner Dimensions: 2 13/16" W x 4 7/16" H x 1 3/16" D
- Outer Dimensions: 3 9/32" W x 6 13/32" H x 1 /34" D



800-229-6693

License# EF0000020

www.HPIsecurity.com	RESIDENTIA	COMMERCIAL	SERVICES	SUPPORT	MONITORING
INTRUSION SYSTEMS		IDEO SECURITY	ACCESS CONT	ROL	FIRE ALARM

### Kwikset

### Kwikset 99100-079 | Z-Wave SmartCode Deadbolt, Venetian Bronze

Manufacturer's PN: 99100-079



Shipping Weight: 5Lbs. Dimensions: **Not Available** 

### • Kwikset 99100-079 | Venetian Bronze Z-Wave SmartCode Deadbolt

- Door Prep: 2-1/8" diameter face hole & 1" diameter latch hole
- Backset: Adjustable to 2-3/8" or 2-3/4"
- Door Thickness: 1-3/8" to 1-3/4" automatic adjustment
- Cylinder: SmartKey Re-Key Technology
- Faceplate: 1" x 2-1/4" Round corner standard
- Strikes: Round corner strike 2-3/4" x 1-1/8"
- Bolt: 1" throw
- Door Handing: Reversible
- Batteries: 4 AA
- Outer Trim: 2 13/16" W x 4 7/16" H x 1 3/16" D
- Inner Trim: 3 1/4" W x 7 1/4" H x 1 3/4" D



800-229-6693

License# EF0000020

www.HPIsecurity.com	RESIDENTIAL	COMMERCIAL	SERVICES	SUPPORT	MONITORING
INTRUSION SYSTEMS	VIDEO SECURITY		ACCESS CONTROL		FIRE ALARM



### Kwikset 99140-023 | Z-Wave Deadbolt, Satin Nickel

Manufacturer's PN: 99140-023



Shipping Weight: 5Lbs. Dimensions: **Not Available** 

### • Kwikset 99140-023 | Satin Nickel Z-Wave Deadbolt

- Door Prep: 2-1/8" diameter face hole & 1" diameter latch hole
- Backset: Adjustable to 2-3/8" or 2-3/4"
- Door Thickness: 1-3/8" to 1-3/4" automatic adjustment
- Cylinder: SmartKey Re-Key Technology.
- Faceplate: 1" x 2-1/4". Round corner standard
- Strikes: Round corner strike 2-3/4" x 1-1/8"
- Bolt: 1" throw
- Door Handing: Reversible
- Batteries: 4 AA
- Outer Trim: 2-13/16" W x 4-7/16" H x 1-3/16" D
- Inner Trim: 3-1/4" W x 7-1/4" H x 1-3/4" D



800-229-6693 License# EF000020

 www.HPIsecurity.com
 RESIDENTIAL
 COMMERCIAL
 SERVICES
 SUPPORT
 MONITORING

 INTRUSION SYSTEMS
 VIDEO SECURITY
 ACCESS CONTROL
 FIRE ALARM



# Kwikset 99140-024 | Z-Wave Deadbolt, Venetian Bronze

Manufacturer's PN: 99140-024



Shipping Weight: 5Lbs. Dimensions: **Not Available** 

- Kwikset 99140-024 | Z-Wave Deadbolt, Venetian Bronze
- Door Prep: 2-1/8" diameter face hole & 1" diameter latch hole
- Backset: Adjustable to 2-3/8" or 2-3/4"
- Door Thickness: 1-3/8" to 1-3/4" automatic adjustment
- Cylinder: SmartKey Re-Key Technology
- Faceplate: 1" x 2-1/4". Round corner standard
- Strikes: Round corner strike 2-3/4" x 1-1/8"
- Bolt: 1" throw
- Door Handing: Reversible
- Batteries:4 AA
- Outer Trim: 2-13/16" W x 4-7/16" H x 1-3/16" D
- Inner Trim: 3-1/4" W x 7-1/4" H x 1-3/4" D



INTRUSION SYSTEMS

VIDEO SECURITY

ACCESS CONTROL

FIRE ALARM

### Kwikset

Kwikset 99140-028 | Contemporary Push Button Z Wave Deadbolt, Iron, Black

Manufacturer's PN: 99140-028



Shipping Weight: 10Lbs. Dimensions: **H:4.40 x W:2.70 x D:3.10** 

### Kwikset 99140-028 Contemporary Push Button Z Wave Deadbolt Iron Black

#### Convenience

- 10 digit backlit touchpad with one-touch locking
- Motorized locking mechanism enables true remote locking & unlocking
- Tapered deadbolt design permits misaligned doors to lock & unlock with ease
- SmartKey® easy re-key backup keyway

### **Customizable Features**

- Auto re-lock 30 seconds after unlocking ON/OFF
- Interior LED locked/unlocked status ON/OFF
- Audible feedback ON/OFF

#### Security

- 128-bit Advanced Encryption Standard (AES) communication
- BHMA Grade 2 certified
- UL-certified 20-minute rating
- Drill and pick resistant backup keyway with BumpGuardTM protection
- 30 user access code capacity, 4-8 digit code length
- MasterCode feature
- User settings stored on lock memory settings remain even in case of a sight power outage

#### **Wireless Communication**

- Z-Wave® 500 wireless technology
- RF Operation: 908.42 MHz (US)
- Range: Typical 160ft line of
- Independent, local user authentication no controller connectivity required
- Audit trail logging stores access history in the lock memory
- Date/time scheduled user access control
- Incorrect code protection with audible alarm





### Kwikset 99160-020 | Touch Screen Z-Wave Deadbolt, Satin Nickel

Manufacturer's PN: 99160-020



Shipping Weight: 5Lbs. Dimensions: **Not Available** 

### • Kwikset 99160-020 | Satin Nickel Touch Screen Z-Wave Deadbolt

- Door Prep: 2-1/8" diameter face hole & 1" diameter latch hole
- Backset: adjustable to 2-3/8" or 2-3/4"
- Door Thickness: 1-3/8" to 1-3/4" automatic adjustment
- Cylinder: SmartKey Re-Key Technology
- Faceplate: 1" x 2-1/4" round corner standard
- Strikes: round corner strike 2-3/4" x 1-1/8"
- Bold: 1" throw
- Door Handling: reversible
- Batteries: 4 AA
- Outside Dimensions: 2-13/16" W x 4-7/16" H x 1-3/16" D
- Inside Dimensions: 3-1/4" W x 7-1/4" H x 1-3/4" D



**800-229-6693** 

License# EF0000020

www.HPIsecurity.com	RESIDE	NTIAL	COMMERCIAL	SERVICES	SUPPORT	MONITORING	
INTRUSION SYSTEMS		VIDEO SECURITY		ACCESS CONTROL		FIRE ALARM	



### Kwikset 99160-021 | Touch Screen Z-Wave Deadbolt, Venetian Bronze

Manufacturer's PN: 99160-021



Shipping Weight: 5Lbs. Dimensions: **Not Available** 

#### • Kwikset 99160-021 | Touch Screen Z-Wave Deadbolt, Venetian Bronze

- Door Prep: 2-1/8" diameter face hole & 1" diameter latch hole
- Backset: Adjustable to 2-3/8" or 2-3/4"
- Door Thickness: 1-3/8" to 1-3/4" automatic adjustment
- Cylinder: SmartKey Re-Key Technology
- Faceplate: 1" x 2-1/4". Round corner standard
- Strikes: Round corner strike 2-3/4" x 1-1/8"
- Bolt: 1" throw
- Door Handing: Reversible
- Batteries: 4 AA
- Outer Trim: 2-13/16" W x 4-7/16" H x 1-3/16" D
- Inner Trim: 3-1/4" W x 7-1/4" H x 1-3/4" D